

Vaccines	Recommended Group	Schedule
<p style="text-align: center;">Influenza</p>	<ul style="list-style-type: none"> ▪ Persons aged 65 years or older; ▪ Persons aged 18 years and receiving long-term aspirin therapy; ▪ Persons who have chronic medical conditions such as diabetes mellitus, asthma, and heart disease; ▪ Persons who are immunocompromised; ▪ Persons receiving intermediate and long term care services; ▪ Women at all stages of pregnancy. 	<p style="text-align: center;">1 Dose Annually</p>
<p style="text-align: center;">Pneumococcal</p> <p><i>Pneumococcal vaccines in the NAIS include 13-valent pneumococcal conjugate vaccine (PCV13) and 23-valent pneumococcal polysaccharide vaccine (PPSV23)</i></p>	<ul style="list-style-type: none"> ▪ Persons aged 65 years or older 	<p style="text-align: center;">1 Dose each of PCV13 & PPSV23</p>
<p style="text-align: center;">Human Papillomavirus</p> <p><i>HPV vaccine in the NAIS – bivalent HPV vaccine (HPV2)</i></p>	<ul style="list-style-type: none"> ▪ Females aged 9 to 26 years 	<p style="text-align: center;">3 doses (0, 1-2, 6 months)</p>
<p style="text-align: center;">Tetanus, Diphtheria and Pertussis (Tdap)</p>	<ul style="list-style-type: none"> ▪ Pregnant women (for each pregnancy) 	<p style="text-align: center;">1 Dose per Pregnancy (16-32 weeks)</p>
<p style="text-align: center;">Measles, Mumps and Rubella (MMR)</p>	<ul style="list-style-type: none"> ▪ Adults without evidence of immunity 	<p style="text-align: center;">2 Doses (0, 4 weeks)</p>
<p style="text-align: center;">Hepatitis B</p>	<ul style="list-style-type: none"> ▪ Adults without evidence of immunity 	<p style="text-align: center;">3 Doses (0, 1, 6 months)</p>
<p style="text-align: center;">Varicella</p>	<ul style="list-style-type: none"> ▪ Adults without evidence of immunity 	<p style="text-align: center;">2 Doses (0, 4-8 weeks)</p>